

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

- SUBJ1*
1. (Currently Amended) A container for wetted wipes, comprising a container body, a stationary cover being removably fitted on, or integrated to said container body, said stationary cover comprising at least one dispensing opening through which the container contents is removable, a movable lid which is movably attached to said stationary cover, so as to reversibly close said dispensing opening, the container being characterized in that comprising a gas-proof means is located between said stationary cover and said movable lid, for providing a gas-tight barrier between the inside and the outside of the container when the movable lid is in the closed position, wherein the gas proof means comprises a gasket seal.
  2. (Original) A container according to claim 1, wherein a spring element is located between said stationary cover and said movable lid, and is charged with an elastic energy when the movable lid is in closed position.
  3. (Previously Amended) A container according to claim 1, wherein a locking mechanism is located between the stationary cover and the movable lid for releasably securing the movable lid in the closed position onto the stationary cover.
  4. (Currently Amended) A container according to claim 3, wherein the locking mechanism comprises a protrusion of the stationary cover which engages against a corresponding protrusion of the movable lid, and a push-button means.
  5. (Previously Amended) A container according to claim 1, wherein a push-button is an elastically deformable portion of the stationary cover, said push-button being located near enough to protrusions of the stationary cover and the movable lid, to disengage said protrusion of the movable lid from said protrusion of the stationary cover when said push-button is pressed, thus releasing the movable lid into the open position.

6. (Previously Amended) A container according to claim 1, further comprising a spring element, wherein the spring element is a metallic single, or multiple winding coil spring with elongated ends.
7. (Previously Amended) A container according to claim 5, wherein the spring element is made out of a synthetic or natural rubber-like material. *12*
8. (Currently Amended) A container according to any of the preceding claims claim 1, wherein the gas-proof means is a gasket seal which is located along the periphery of the dispensing opening.
9. (Previously Amended) A container according to claim 1, wherein the gasket seal is made out of a silicone elastomer.
10. (Previously Amended) A container according to claim 1, wherein the gasket seal is applied as one or several liquid components which are mixed and then cured in place.
11. (Previously Amended) A container according to claim 9, wherein the gas-tight means is a preformed element fitted into a groove of the stationary cover.
12. (Previously Amended) A container according to claim 1, wherein the gasket seal is substantially compressed all along its periphery when the movable lid is in the closed position.
13. (Previously Amended) A container according to claim 1, wherein the stationary cover comprises ribs and grooves which fit into corresponding ribs and grooves of the container body, said stationary cover being adjustably attached to said container body so that the resulting assembling surfaces are edgeless.
14. (Previously Amended) A container according to claim 12, wherein the stationary cover is an integral part of the top side of the container body, the bottom side of the container body comprising a refill opening which is closed by a removable cover.

- C/ 15. (Previously Amended) A container according to claim 1, which is to be used for disinfectant wipes which are folded for removal one by one from the container.